



TOMORROW'S KITCHEN

THE HOME REDEFINED...

A SENSE OF HOME COMES FROM THE WAY WE PERSONALISE AND UTILISE THE SPACE THAT WE LIVE IN. IN AN INCREASINGLY FRENETIC WORLD, OUR HOMES HAVE BECOME A WELCOME REPRIEVE, A UNIQUE AREA THAT GIVES US A PRIVATE RETREAT TO SOOTHE OUR SENSES, AND A PLACE TO SOCIALISE, LOVE, AND GROW WITH FAMILY AND FRIENDS.





If 'home is where the heart is', the kitchen is without doubt the heart of the home. The kitchen entices people in, to become the life and soul of the household. It is a place of captivating smells and sounds – from the sizzle of a flaming wok stir-fry to the sweet cocoa scent of chocolate – it's no wonder people can't help but congregate as soon as the intoxicating aroma of home-cooking begins to waft through the home.



MID-WEEK
CONVENIENCE

GOURMET
WEEKENDS



IN TOMORROW'S KITCHEN, APPLIANCES
WILL KEEP UP WITH YOUR PACE AND ACT AS
INTUITIVELY AS YOU DO, INNOVATING TO MEET
THE CHANGING NEEDS OF YOUR LIFESTYLE.

As food brings us such great pleasure, we want our experience with food to be the best. We seek out items of premium quality, try new culinary techniques, indulge in different flavours from around the world, and know that fresh is best.

Just as we expect quality and variety in our food, we are demanding more of our appliances, insisting on unique tools that combine innovation with reliability and performance.



We want appliances that will perform whether we are creating a mid-week convenient meal or a gourmet weekend feast.

Fisher and Paykel's IZONA represents truly innovative living where 'state-of-the-art' seamlessly blends with 'state-of-the-heart'. Products work hard, think intuitively and multi-task just like you do.




SHEER
BRILLIANCE

INTRODUCING THE IZONA COOKSURFACE...

A WORLD FIRST IN PRECISION COOKING THAT TAKES THE PLEASURE OF CULINARY CREATIVITY TO A WHOLE NEW LEVEL, COMBINING THE SUPERIOR PERFORMANCE OF GAS COOKING WITH THE CONVENIENCE OF AN EASY-CLEAN CERAMIC COOK-TOP.

With a stunning black reflective glass top and ergonomic design, the IZONA CookSurface offers much more than meets the eye: its elegant design incorporates three sets of hidden pan supports for different sizes of pans within the ceramic surface. At a push of the control, they elevate from the glass surface and ignite simply by turning the dial.



When not in use, the unique design of the IZONA CookSurface provides you extra work space. Its unique gas-in-glass technology sits virtually flush with the sheer ceramic surface. The CookSurface offers premium cooking performance, unprecedented control, exceptional safety and cleaning capabilities.



EASY CARE CERAMIC SURFACE.
AFTER COOKING SIMPLY WIPE
AND WALK AWAY.



NEW GAS TECHNOLOGY
DELIVERS MORE COOKING
OPTIONS DUE TO GREATER
TEMPERATURE RANGE AND
ENHANCED FLAME CONTROL.



COOKSURFACE

COOK



EFFORTLESS

WHEN YOU ARE READY TO COOK, THE IZONA
COOKSURFACE RISES TO THE OCCASION, ELEVATING
INTEGRATED PAN SUPPORTS AND BURNERS FROM
THE CERAMIC SURFACE AT THE PUSH OF A BUTTON.

A simple control dial not only
determines flame intensity,
but also ignites a flame
automatically by glow ignition
when you are ready to cook
– no more struggling to get a
spark or flame.



Enjoy the peace of mind that comes with the IZONA CookSurface's exceptional safety features such as a 'parental lock' and automatic gas shut-off. The CookSurface incorporates new advances in fan technology delivering you rapid heating and cooking efficiency.

- RISING PAN SUPPORTS ARE ELEVATED AT THE PUSH OF A BUTTON.
- NO NEED TO SWITCH THE GAS ON, IT LIGHTS ITSELF.
- THE COOKSURFACE WILL SHUT OFF AUTOMATICALLY SHOULD THE GAS SUPPLY FALTER.
- STRONG PAN SUPPORTS DELIVER SAFETY AND STABILITY: THEY WILL COMFORTABLY HOLD THE HEAVIEST PAN AND EVEN MANAGE IF YOUR PAN PLACEMENT IS OFF CENTRE.



ERGONOMIC

THE IZONA COOKSURFACE CONVENIENTLY MAKES THE BEST USE OF SPACE – BY REMOVING THE RARELY USED FORTH AND FIFTH BURNERS FROM THE STANDARD COOK-TOP DESIGN AND BRINGING THE BURNERS IN LINE.

When cooking is complete, simply press the control dial and the pan supports and burners allow themselves to cool sufficiently before automatically retreating flush with the ceramic surface.

When burners are not in use the even nature of the cooksurface means it can be used as additional bench space; enjoy the convenience of being able to put a platter alongside your pan and transfer food directly from pan to plate.

Fisher & Paykel



- UNIQUE FRONT ROW BURNER DESIGN ALLOWS FOR TWO PEOPLE TO UTILISE THE SPACE AT THE SAME TIME, OR FOR ONE PERSON TO WORK WITH ADDED FREEDOM OF MOVEMENT.
- THE THREE-IN-A-ROW BURNER LAYOUT IS PROVEN TO BE THE MOST EFFECTIVE DESIGN FOR OPTIMAL ERGONOMICS AND SAFETY.
- INCREASED SAFETY FOR THE COOK WHO NO LONGER NEEDS TO LEAN OVER A HOT ELEMENT TO ACCESS THE REAR BURNER.
- EACH AERO® BURNER OPERATES OVER A WIDE HEATING RANGE SO YOU CAN USE A VARIETY OF POTS AND PANS TO SUIT YOUR COOKING STYLE.



THE HIGHEST QUALITY CERAMIC GLASS HAS BEEN USED FOR RESISTANCE TO HEAT, GRIME AND EASE OF CLEANING.

WOK STAND: FITS OVER THE LARGEST BURNER FOR STABLE AND STYLISH WOK COOKING.

CLEVER AERO® BURNER DESIGN PROVIDES A CONTINUOUSLY EVEN FLAME. HEAT ELIMINATES GRIME AND FAT BUILD-UP ON THE BURNER HEADS AS YOU COOK.

UNIQUE PAN SUPPORT STRUCTURE HELPS PREVENT PANS FROM TIPPING AND ARE REMOVABLE FOR EASE OF CLEANING. LIQUID SPILLS ARE EASILY CONTAINED: BURNER HEAD AND PAN SUPPORT MATERIALS REPEL LIQUIDS AND AID IN THE POOLING OF SPILLS.



HOT SURFACE INDICATOR IS EVIDENT WHEN THE COOKING SURFACE IS STILL HOT. AS THE COOKSURFACE COOLS, THE PAN SUPPORTS AUTOMATICALLY RETREAT.

USER-FRIENDLY CONTROLS FEATURE AUDIO/VISUAL FEEDBACK TO INDICATE FLAME STRENGTH.

ON/OFF SWITCH AUTOMATICALLY SHUTS DOWN ALL BURNERS AND ELECTRONICS FOR ADDED SAFETY. QUIET GLOW IGNITION DELIVERS INSTANT, SAFE AND SILENT IGNITION. PARENTAL LOCK ENSURES THE COOKSURFACE IS CHILD-PROOF WHEN NOT IN USE.



COOKSURFACE

KEY FEATURES



EASY CLEAN

Sheer ceramic glass surface allows for easy cleaning after cooking – wipe and walk away.

SPACE SAVER

Frameless gas cooktop with electronic control.

WORLD FIRST

Independently operated gas Aero® burners and pan supports that retract virtually flush into the ceramic glass surface when not in use.

ERGONOMIC

Easily accessible and ergonomically designed three-in-a-row configuration.

INTUITIVE

Dial control with audio and visual feedback for precise linear flame control.

RESPONSIVE

Quiet glow ignition means instant flame with no spark and no struggling to ignite.

PRECISION



Uniquely designed burners ensure even heat distribution with powerful high setting and low turndown.

EFFICIENT

Aero® burners mix fan-forced air at lower settings to reduce peak temperatures for effective simmering.

SAFETY

Features a 'parental lock' as a safety precaution for children.



SENSORY
EXTRACTION

KITCHEN TECHNOLOGY DOESN'T COME ANY MORE INTELLIGENT THAN THE IZONA VENTSURFACE. THE REVOLUTIONARY IZONA VENTSURFACE FEATURES A UNIQUE INTUITIVE STEAM SENSOR EXTRACTION SYSTEM THAT ONCE SET AUTOMATICALLY ACTIVATES TO EXTRACT SMOKE AND STEAM AT THE MOMENT YOU START COOKING.

Forget the bulky, noisy extractors of old – the elegant design of the IZONA VentSurface offers the ultimate in discretion and quietness. In a busy kitchen, the intuitive IZONA VentSurface offers one less thing to worry about.





ONCE SET TO 'AUTOMATIC', THE INTUITIVE IZONA VENTSURFACE IS ALWAYS SENSING FOR SMOKE VAPOUR OR STEAM.



THE IZONA VENTSURFACE CAN BE AUTOMATED TO SWITCH ON WHEN YOU START COOKING TO CAPTURE AND ELIMINATE SMOKE, STEAM AND LINGERING COOKING ODOURS.



VENTSURFACE

VENT





INSTINCT

THE IZONA VENTSURFACE CAN ADJUST THE SPEED AT WHICH IT EXTRACTS TO PROVIDE THE PRECISE AMOUNT OF AIRFLOW NEEDED TO EXTRACT AND CLEAR THE AIR. WHEN YOU'VE FINISHED COOKING AND ALL ODOURS AND STEAM ARE REMOVED IT SIMPLY SWITCHES ITSELF OFF.

The IZONA VentSurface allows you to focus on creating culinary magic – it can be set to automatically clear the air when you need it to and at the optimum level required. The IZONA VentSurface is quieter and more efficient than conventional technology.





UNIQUE DESIGN THAT USES INCREASED
EXTRACTION AT THE VERY EDGE OF THE SURFACE
TO REMOVE ODOURS AND VAPOURS FASTER.




SIX POWERFUL FAN SPEEDS AUTOMATICALLY
ADJUST TO DEAL WITH EVERY IMAGINABLE
COOKING VAPOUR.



AN INTELLIGENT ALERT FEATURE INDICATES
WHEN YOUR FILTER NEEDS CLEANING.





EASY TO SEE WHAT
YOU'RE DOING UNDER
THE POWERFUL QUARTZ
HALOGEN DOWN-LIGHTS.

AS THE LEVEL OF VAPOUR
RISES, THE FAN SPEED
AUTOMATICALLY INCREASES
TO CLEAN THE AIR AND
SWITCH OFF WHEN DONE.

PREMIUM EUROPEAN
INSPIRED DESIGN GLASS
FINISH, WITH A SLEEK,
MINIMALIST PROFILE.

'FILTER CLEAN' ALERTS YOU
WHEN IT'S TIME TO CLEAN
THE FILTER SO YOU ALWAYS
GET THE BEST OUT OF YOUR
IZONA VENTSURFACE.



VENTSURFACE

KEY FEATURES



INTELLIGENT

Once set to automatic, the clever technology remains alert for the need to respond the moment you start cooking.

RESPONSIVE

Constantly adjusts to capture and eliminate rising cooking odours, vapour or steam.

MORE EFFECTIVE

Perimeter extraction technology creates a high velocity vacuum that is more effective over a wider area than traditional rangehoods.

QUIET AND DISCREET

Even when on full speed the compact but powerful extractor fan is far quieter than conventional technology.

EASY CONTROL

A small range of simple, soft touch buttons, gives you control of the technology inside.

STYLISH

Designed as a partner product in style and size to the IZONA CookSurface, the revolutionary new 'gas-through-glass' cooking technology.

SHEER SURFACE

The sheer reflective black glass finish, makes greasy, unsightly filter traps a thing of the past.

MATCHING

Designed to match the IZONA CookSurface.



CONTROLLED
ENVIRONMENTS

THE IZONA COOLDRAWER GOES BEYOND EXCEPTIONAL REFRIGERATION TO TRULY REVOLUTIONISE KITCHEN DESIGN. OPTIMISE YOUR KITCHEN SPACE WITH ADDITIONAL REFRIGERATION WHERE YOU NEED IT, AND ENJOY PREMIUM FOOD STORAGE USING VARIABLE TEMPERATURE SETTINGS.

The IZONA CoolDrawer allows you to set the temperature to Freezer, Chill, Fridge, Pantry or Wine at the touch of a button, so that everything from fresh food to frozen goods to fine wine can be stored at the correct temperature.





INSTALLATION AND INTEGRATION OPTIONS TO FIT YOUR LIFESTYLE REQUIREMENTS AND DESIGN AESTHETIC.

VARIABLE INTERNAL COMPARTMENT CONFIGURATION TO SUIT YOUR FOOD STORAGE NEEDS AS THEY ARISE.

ADDITIONAL REFRIGERATION SPACE TO WORK WITH YOUR EXISTING FRIDGE AND ENHANCE YOUR STORAGE AND FOOD PREPARATION OPTIONS.

WORLD'S FIRST MULTI-TEMPERATURE FRIDGE DRAWER PROVIDES OPTIMAL TEMPERATURE ZONES TO KEEP FOOD FRESHER – FOR LONGER.



COOLDRAWER

COOL



FLEXIBILITY

THE IZONA COOLDRAWER CAN BE ARRANGED IN ANY CONFIGURATION TO CREATE A UNIQUE AND PERSONALISED KITCHEN LAYOUT THAT SUITS THE NEEDS OF YOUR LIFESTYLE AND COMPLEMENTS YOUR EXISTING REFRIGERATOR.

Now you can completely rethink how you design and install refrigeration around your home. From the island bench in the kitchen, to the entertainment area – wherever you need to cool food or drinks the IZONA CoolDrawer is the solution.



5

TEMPERATURE ZONES

PANTRY MODE IS DESIGNED SPECIFICALLY FOR FOODS THAT REQUIRE A 'COOL, DARK' PLACE FOR STORAGE, SUCH AS TOMATOES, BANANAS, BREAD AND CEREALS.

PANTRY



WINE

USING WINE MODE, CONNOISSEURS CAN TAKE ADVANTAGE OF SPECIAL SETTINGS THAT PRESERVE AND PRESENT WINE AT ITS OPTIMUM TEMPERATURE.



FRIDGE

FRIDGE MODE IS THE IDEAL STORAGE FOR MOST FOODS, SUCH AS FRUITS & VEGETABLES, DAIRY PRODUCTS, PROCESSED MEATS AND DRINKS.

CHILL MODE SETS THE COMPARTMENT AT A TEMPERATURE THAT IS IDEAL FOR HIGHLY PERISHABLE MEATS, POULTRY AND FISH PRODUCTS.

CHILL



FREEZER

FREEZER MODE IS FOR GENERAL FROZEN FOOD STORAGE, WITH THE ADDED FLEXIBILITY OF 3 FREEZER FUNCTIONS: BOTTLE CHILL, FAST FREEZE, DEEP FREEZE.

WITHIN REACH

IZONA COOLDRAWER'S SIMPLE, USER-FRIENDLY
ERGONOMICS BELIE ITS TECHNOLOGICAL PROWESS.
IT IS DESIGNED FOR THE SOLE PURPOSE OF
ENHANCING YOUR LIFESTYLE, NOT TO COMPLICATE IT.

Based on the design principles of the internationally successful Fisher & Paykel DishDrawer, CoolDrawer is ergonomically designed for easy access and incorporates transparent panels so you can quickly locate your food at a glance, as well as tailor the adjustable storage space to your food needs as they arise. With the CoolDrawer, a store of fresh culinary inspiration is always within reach.





COOLDRAWER OPERATES AT
WAIST HEIGHT – NO BENDING
OR LIFTING HEAVY OBJECTS.

A ONE-TOUCH CONTROL PANEL
IS CLEAR TO UNDERSTAND
AND EASY TO USE.

FULL EXTENSION RUNNERS
PULL OUT FOR MAXIMUM
ACCESS RIGHT TO THE BACK
OF THE DRAWER.

THE TRANSPARENT CONTAINERS
ALLOW ALL FOODS TO BE SEEN
AT A GLANCE.



FOOD CARE

THERE IS MORE TO OPTIMUM REFRIGERATION THAN MEETS THE EYE – DIFFERENT FOODS REQUIRE DIFFERENT STORAGE SETTINGS TO PRESERVE QUALITY, TASTE AND TO RETAIN NUTRIENT LEVELS. THE IZONA COOLDRAWER COMPLETELY TRANSFORMS FOOD CARE AS YOU KNOW IT, ENSURING YOU MAKE THE MOST OF YOUR FOOD, KEEPING IT FRESHER, FOR LONGER... AND EVEN BETTER THAN NATURE!

A world first, the CoolDrawer allows you to cool, chill, freeze and even store at pantry temperature at the mere touch of a button – you simply adjust the temperature of CoolDrawer to suit the shopping needs of that day.

freezer



chill



fridge



pantry



wine





IZONA COOLDRAWER PRESERVES
FOOD BETTER THAN A NORMAL
REFRIGERATOR WITH FIVE
DIFFERENT TEMPERATURE SETTINGS.



CHANGE YOUR TEMPERATURE
SETTINGS TO SUIT YOUR GROCERY
NEEDS AT ANY TIME.



KEY FEATURES



ERGONOMIC

Easily accessible at waist-height with smooth running drawers.

FLEXIBILITY

Complements your existing refrigeration and enhances your kitchen design to suit your lifestyle.

QUALITY

Highest quality machined materials and cabinet making quality.

FOOD CARE

Five temperature settings can be tailored to the needs of your food.

SIMPLE

Easy to use electronic interface can change the CoolDrawer temperature at the push of a button.

REVOLUTIONARY

Thousands of hours of research and development have resulted in the revolutionary CoolDrawer design.

INTEGRATED

CoolDrawer can be integrated to your kitchen design to provide refrigeration in any area.

INNOVATIVE

Multi-temperature fridge drawer is a world first in refrigeration technology.

SEAMLESS

Highly engineered finishing ensures a 4mm clearance between front panels as demanded by professional cabinet-makers.





COOLDRAWER

ONE TOUCH CONTROL PANEL EMPLOYS A LOGICAL, LINEAR NAVIGATIONAL PATH FOR EASE OF USE.



CUSTOMISE YOUR FIT AND FINISH OPTIONS TO SUIT YOUR DESIGN AESTHETIC. AVAILABLE IN:



STAINLESS



INTEGRATED



IRIDIUM

ADJUSTABLE INTERNAL STORAGE SPACE ALLOWS FOR BULKY ITEMS AS WELL AS SMALLER ITEMS IN THE ONE DRAWER.

EXCEPTIONAL HAND BUILT CABINET MAKING QUALITY WITH SMOOTH-GLIDE FULL EXTENSION RUNNERS.

COOKSURFACE SPECIFICATIONS

FAMILY	IZONA	
DESIGN	Frameless black glass	
	Streamlined 900mm x 410mm dimension	
	Ergonomic three in a row configuration	
BURNER TYPES (MJ/H)	Small Aero™ burner	7.2 NG
	Medium Aero™ burner	8.0 NG
	Wok Aero™ burner	12.8 NG
PERFORMANCE	Ceran ceramic glass	
	Independent three gas burner operation	
	Quiet glow ignition	
	Electronic flame settings	
CONTROLS	Intuitive dial control	
	LED display	
	Audio and visual electronic feedback	
	Self diagnostics	

CLEANING	Frameless ceramic glass surface
	Surface pooling of spills
	Removable support pins
	Heat assisted cleaning burner heads
SAFETY	Flame failure re-ignition system
	Key lock
	Individual hot surface indicators
	Over heat protection
INSTALLATION	Natural Gas
ACCESSORIES	Wok support

VENTSURFACE SPECIFICATIONS

FAMILY	IZONA		
DESIGN	900mm wall canopy		
	1200mm island canopy		
	Reflective black glass finish		
	Machined brushed stainless steel fascia		
	Machined brushed stainless steel flue		
PERFORMANCE	Perimeter extraction technology		
	Auto-sensing modes	Steam	
		Smoke	
		Cooking Odour	
		Heat	
PERFORMANCE	Auto mode	Auto adjust technology	
		Auto shut off	
	Manual mode	6 pre set options	
		Auto shut off, 10 minutes	
	Quiet operation		
LIGHTING	Halogen lights		
CLEANING	Micromesh filter		
	Clean filter prompt		
INSTALLATION	Two piece adjustable flue with optional extensions		
	Ducted or recirculating options		

COOLDRAWER SPECIFICATONS

FAMILY	IZONA	
DESIGN	Built in 900mm/36"width	
	Seamless cabinetry installation	
	Both custom & prefinished skin options	
	Flexible installations options	
PERFORMANCE	Variable Temperature Drawer	
	Chill Mode	(31°F / -0.5°C)
	Pantry Mode	(54°F / 12°C)
	Wine Mode	(45-59°F / 7-15°C)
	Refrigerator mode	(36°F / 3°C)
	Freezer Mode	(0°F / -18°C)
	Superior Temperature Control	
	Premium Energy Efficiency – Energy Star	

CONTROLS	Touch Control – Glass Interface
	Key Lock
	Door Ajar Alarm
	Special Options Mode
CONSTRUCTION	Full Extension Runners
	LED Lighting
	Aluminium Trims
	Sub Trays and Bin
	Full Height Bottle Storage
	Spill Proof Removable Bins

PRODUCT AND CABINETY DIMENSIONS (mm)

CG903ML


A	overall height of product (including retracted knobs/pan supports)	96
B	overall width of product	900
C	overall depth of product	410
D	height of chassis (below top of bench)	89
E	width of chassis	856
F	depth of chassis	384
G	depth of chassis (including fitted elbow*)	424
H	overall width of cutout	865
I	overall depth of cutout	390
J	corner radius of cutout	max. 10
K	distance from top of bench to gas inlet on product	64
L	distance from edge of cutout to gas inlet on product	20

CLEARANCES (mm)


CG903ML

A	minimum clearance from left edge of product to nearest combustible surface	60
B	minimum clearance from right edge of product to nearest combustible surface	80
C	*minimum from rear edge of product to:	
	nearest combustible surface	100
	nearest non-combustible surface	10
D	minimum height of non-combustible material when used on adjacent walls	150
E	minimum from glass surface to:	
	rangehood	650
	overhead exhaust fan	800
	downward facing combustible surface	650
	downward facing tiled or fire resistant surface	500
F	minimum below top of benchtop to:	
	nearest combustible surface	115
	Fisher & Paykel oven	100
G	cutout measuring 50 x 500 mm for air intake grill. Ensure air enters externally from the room.	

Installation diagrams for illustration purposes only



Note: *If benchtop thickness exceeds 50 mm, a cutout space to accommodate the fitted elbow will be required.



Note: Ensure there is an earthed power outlet within 900 mm of the centre rear of the product. The supplied flexible hose must be used between the product gas inlet and the connector on the wall which should be 650 – 750 mm above the floor and towards the left-hand end of the product. It should be accessible with the product installed.

Note: *Australian and New Zealand Gas Installation Standards require a product be installed so that the surface temperature of any nearby combustible surface will not exceed 65°C above ambient.

WALL MODEL – PRODUCT DIMENSIONS (mm)

HC90

A	overall height of product (adjustable)	939
B	overall width of product	898
C	overall depth of product	470
D	height to fixed flue section	50

WALL MODEL – CLEARANCES (mm)

HC90

A	minimum clearance from bottom of VentSurface to:	
	gas-burning appliances	750
	electric appliances (including induction)	650

ISLAND MODEL – PRODUCT DIMENSIONS (mm)

HC120

A	overall height of product (adjustable)	939
B	overall width of product	1198
C	overall depth of product	648
D	height to fixed flue section	62


ISLAND MODEL – CLEARANCES (mm)

HC120


A	minimum clearance from bottom of VentSurface to:	
	gas-burning appliances	750
	electric appliances (including induction)	650

Installation diagrams for illustration purposes only

Wall model product dimensions




Wall model clearances




Note: * to ensure that the VentSurface is able to perform at its best, we recommend that the clearance between the VentSurface and the cooking surface does not exceed 800 mm.

Island model product dimensions



Island model clearances



Note: * to ensure that the VentSurface is able to perform at its best, we recommend that the clearance between the VentSurface and the cooking surface does not exceed 800 mm.

PRODUCT DIMENSIONS (mm)

RB905

A	overall height of product (inc. installation brackets)	640
B	overall width of product	855
C	overall depth of product (excl. drawer panel; inc. power cord)	557
D	depth of drawer (open) (excl. handle)	520

CABINETY DIMENSIONS (mm)

RB905

E	minimum inside width of cabinetry frame	864
F	minimum internal height of cabinetry	644
G	minimum height of toe kick	75
H	minimum depth of toe kick	40
I	minimum distance from front of cabinetry to rear wall	560


PANEL DIMENSIONS (mm)

RB905

HEIGHT	476
WIDTH	896
DEPTH	18

Installation diagrams for illustration purposes only

This product with cabinetry is designed to fit within a standard 900mm wide cavity. For custom integrated panel options refer to product installation instructions. Max panel weight 7kg.



Note: These dimensions are NOT intended to be used as an installation instruction for any product. Further information is required to safely and correctly install the products. These instructions are available at the time of purchase or on our website www.fisherpaykel.co.nz, or contact our customer care centre on **0800 FP CARE** (0800 37 2273).



www.tomorrowskitchen.co.nz

Fisher & Paykel Appliances

FPBR0314 April 2008

Copyright© Fisher & Paykel 2008. All rights reserved. The product dimensions and specifications in this brochure apply to the specific products and models described at the date of issue. Under our policy of continuous product improvement, these dimensions and specifications may change at any time. You should therefore check with your dealer or Fisher & Paykel's Customer Care Centre to ensure this brochure correctly describes the products currently available.